

# ERGA Assembly Report

v24.10.15

Tags: Other[INVALID TAG]

TxID	8036
ToLID	<b>fSalAlp3_hap1</b>
Species	Salvelinus alpinus
Class	Actinopteri
Order	Salmoniformes

Genome Traits	Expected	Observed
Haploid size (bp)	1,914,103,308	2,264,861,054
Haploid Number	40 (source: direct)	37
Ploidy	2 (source: ancestor)	2
Sample Sex	Unknown	Unknown

## EBP metrics summary and curation notes

Obtained EBP quality metric for collapsed: 6.7.Q47

The following metrics were automatically flagged as below EBP recommended standards or different from expected:

- . Observed Haploid Number is different from Expected
- . BUSCO single copy value is less than 90% for collapsed
- . BUSCO duplicated value is more than 5% for collapsed
- . More than 1000 gaps/Gbp for collapsed

### Curator notes

- . Interventions/Gb: 116
- . Contamination notes: ""
- . Other observations: "The assembly of Salvelinus alpinus (fSalAlp3) was generated as part of the Vertebrate Genomes Project (<https://vertebrategenomesproject.org/>). Both haplotypes were analyzed and manually improved using Pretext. "

## Quality metrics table


Metrics	Pre-curation collapsed	Curated collapsed
Total bp	2,269,143,630	2,264,861,054
GC %	43.42	43.42
Gaps/Gbp	1,830.21	1,960.83
Total gap bp	830,600	888,200
Scaffolds	1,722	1,445
Scaffold N50	57,597,415	53,649,224
Scaffold L50	15	17
Scaffold L90	82	37
Contigs	5,875	5,886
Contig N50	1,025,861	1,010,291
Contig L50	520	523
Contig L90	2,728	2,744
QV	47.3994	47.4062
Kmer compl.	90.1957	90.009
BUSCO sing.	54.8%	52.4%
BUSCO dupl.	40.8%	45.6%
BUSCO frag.	1.5%	0.6%
BUSCO miss.	2.9%	1.3%

Warning! BUSCO versions or lineage datasets are not the same across results:

BUSCO: 5.8.2 (euk\_genome\_met, metaeuk) / Lineage: actinopterygii\_odb12 (genomes:75, BUSCOs:7207)


BUSCO: 6.0.0 (euk\_genome\_min, miniprot) / Lineage: actinopterygii\_odb12 (genomes:75, BUSCOs:7207)

# HiC contact map of curated assembly




collapsed [\[LINK\]](#)

# K-mer spectra of curated assembly




Distribution of k-mer counts per copy numbers found in asm





Distribution of k-mer counts coloured by their presence in reads/assemblies

# Post-curation contamination screening



## TAPAs summary Graph

(2 0X contigs have been hidden)



**collapsed.** Bubble plot circles are scaled by sequence length, positioned by coverage and GC proportion, and coloured by taxonomy. Histograms show total assembly length distribution on each axis.

## Data profile

Data	Long reads	Arima
Coverage	NA	NA

## Assembly pipeline

- **Hifiasm**
  - |\_ *ver*: 0.19.5-r593
  - |\_ *key param*: NA
- **purge\_dups**
  - |\_ *ver*: 1.2.5
  - |\_ *key param*: NA
- **YaHS**
  - |\_ *ver*: 1.2
  - |\_ *key param*: NA

## Curation pipeline

- **PretextMap**
  - |\_ *ver*: 0.1.9
  - |\_ *key param*: NA
- **PretextView**
  - |\_ *ver*: 0.2.5
  - |\_ *key param*: NA

Submitter: Benjamin Istace

Affiliation: Genoscope

Date and time: 2025-11-29 02:01:25 CET